


# MDA HT Series


## SMD Low Profile High Current Molded Inductor

### Size 1365

Dimensions: [mm]




Land Pattern: [mm]




Electrical Properties:

# Typical Electrical Characteristics:



---

Soldering Reflow:




Packaging Information:

Tape Dimension:

| Series    | A0<br>(mm)     | B0<br>(mm)     | D<br>(mm)     | P0<br>(mm)    | P1<br>(mm)   | W<br>(mm)    | K0<br>(mm)    | E<br>(mm)      | T<br>(mm)       |
|-----------|----------------|----------------|---------------|---------------|--------------|--------------|---------------|----------------|-----------------|
| MDA1365HT | $13.1 \pm 0.1$ | $14.0 \pm 0.1$ | $1.5 \pm 0.1$ | $4.0 \pm 0.1$ | $16 \pm 0.1$ | $24 \pm 0.3$ | $6.7 \pm 0.1$ | $1.75 \pm 0.1$ | $0.50 \pm 0.05$ |

Peel force of top cover tape:



The peel force of top cover tape shall be between 0.1 to 1.3 N

Product Marking:

| Marking | KH+Printing Inductance+period) |
|---------|--------------------------------|
|---------|--------------------------------|

Reel Dimension: [mm]



Packaging Quantity: